


# WHAT IS CLAIMED IS

1. A compound of formula (I)



(I),

or a therapeutically acceptable salt thereof, wherein

E is a five-, six-, or seven-membered aromatic or non-aromatic carbocyclic ring wherein from zero to three carbon atoms are replaced by nitrogen;

F and G are independently selected from the group consisting of C and N; with the proviso that when one of F and G is N, the other is C;

L<sup>1</sup> and L<sup>2</sup> are each independently selected from the group consisting of a bond, C<sub>2</sub> alkenylene, C<sub>2</sub> alkynylene, O, NR<sup>9</sup>, C(O), S, S(O), SO<sub>2</sub>, SO<sub>2</sub>NR<sup>9</sup>, NR<sup>9</sup>SO<sub>2</sub>, C(O)NR<sup>9</sup>, NR<sup>9</sup>C(O), and CO<sub>2</sub>;

X is selected from the group consisting of S and NR<sup>7</sup>;

R<sup>1</sup> is selected from the group consisting of aryl, arylalkyl, heterocycle, and (heterocycle)alkyl;

R<sup>2</sup> is selected from the group consisting of hydrogen, alkoxy, alkyl, amino, aminoalkyl, cyano, cyanoalkyl, cycloalkyl, cycloalkylalkyl, halo, haloalkyl, heterocycle, (heterocycle)alkyl, hydroxy, and hydroxyalkyl;

R<sup>3</sup> is selected from the group consisting of aryl, heterocycle, and cycloalkyl;

R<sup>4-6</sup> are each independently selected from the group consisting of hydrogen, NR<sup>9</sup>C(O), C(O)NR<sup>9</sup>, alkanoyl, alkenyl, alkoxy, alkoxyalkyl, alkyl, alkylsulfonyl, alkynyl, amido, amino, aminoalkyl, aminosulfonyl, aryl, arylalkyl, aryloxy, arylsulfonyl, azido, carboxy, cyano, cyanoalkyl, cycloalkyl, cycloalkylalkyl, halo, haloalkoxy, haloalkyl, heterocycle, (heterocycle)alkyl, hydroxy, hydroxyalkyl, nitro, nitroalkyl, oxo, and thio(oxo);

R<sup>7</sup> is selected from the group consisting of hydrogen, alkyl, aryl, cycloalkyl, cycloalkylalkyl, heterocycle, (heterocycle)alkyl, and trialkylsilyl;


R<sup>9</sup> is selected from the group consisting of hydrogen, alkoxyalkyl, alkyl, amidoalkyl, aminoalkyl, aryl, arylalkyl, cycloalkyl, cycloalkylalkyl, carboxyalkyl, heterocycle, (heterocycle)alkyl, hydroxyalkyl, and a nitrogen protecting group;

each R<sup>12</sup> is independently selected from the group consisting of hydrogen, alkoxy, alkyl, amino, halo, and hydroxy;

Sub  
3501

m is 0, 1, 2, 3 or 4;  
n is 0, 1, 2, 3 or 4;  
p is 0, 1, 2, 3 or 4; and  
q is 0, 1, 2, 3 or 4.

2. A compound according to Claim 1 of formula (II)



(II),

or a therapeutically acceptable salt thereof, wherein

E, F, G,  $L^1$ ,  $L^2$ , X,  $R^2$ ,  $R^3$ ,  $R^{4-6}$ ,  $R^{12}$ , and p are as defined in Claim 1 and  
 $R^{18}$ ,  $R^{19}$ , and  $R^{20}$  are each independently selected from the group consisting of  
hydrogen, cyano, and halo.

3. A compound according to Claim 2 wherein

$L^1$  is selected from the group consisting of O and  $C_2$  alkynylene;

$L^2$  is selected from the group consisting of a bond,  $NR^9SO_2$ , and  $C(O)NR^9$ ;

wherein each group is drawn with its left end attached to F and its right end attached to  $R^3$ ;

X is  $NR^7$ ;

$R^2$  is selected from the group consisting of hydrogen and hydroxy;

$R^3$  is selected from the group consisting of aryl and heterocycle;

$R^{12}$  is hydrogen; and

p is 0 or 1.

4. A compound according to Claim 3 wherein E is selected from the group consisting of  
pyridinyl, pyrimidinyl, pyrazinyl, 1,4-dihydropyridinyl, and 1,2-dihydropyridinyl.

5. A compound according to Claim 4 wherein E is pyridinyl.

6. A compound according to Claim 5 wherein  
 $R^{18}$  is cyano; and

R<sup>19</sup> and R<sup>20</sup> are hydrogen.

7. A compound according to Claim 6 selected from the group consisting of  
4-(((6-chloro-2-(3-chlorophenyl)-3-pyridinyl)methoxy)(1-methyl-1H-imidazol-5-  
yl)methyl)benzonitrile;  
4-(((2-(3-chlorophenyl)-6-methyl-3-pyridinyl)methoxy)(1-methyl-1H-imidazol-5-  
5 yl)methyl)benzonitrile;  
4-(((4-(3-chlorophenyl)-6-fluoro-3-pyridinyl)methoxy)(1-methyl-1H-imidazol-5-  
yl)methyl)benzonitrile;  
4-(((4-(3-chlorophenyl)-6-methoxy-3-pyridinyl)methoxy)(1-methyl-1H-imidazol-5-  
yl)methyl)benzonitrile;  
10 4-(3-chlorophenyl)-5-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-2-  
pyridinecarbonitrile;  
5-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-6-(2,2-difluoro-1,3-  
benzodioxol-5-yl)pyridine-2-carbonitrile; and  
5-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-6-(3,5-  
15 difluorophenyl)pyridine-2-carbonitrile.

8. A compound according to Claim 4 wherein E is selected from the group consisting of  
1,4-dihydropyridinyl and 1,2-dihydropyridinyl.

9. A compound according to Claim 8 wherein  
R<sup>18</sup> is cyano; and  
R<sup>19</sup> and R<sup>20</sup> are hydrogen.

10. A compound according to Claim 9 selected from the group consisting of  
4-(3-chlorophenyl)-N-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methyl)-1-methyl-6-  
oxo-1,6-dihydro-3-pyridinecarboxamide;  
1-(3-chlorophenyl)-6-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-4-  
5 oxo-1,4-dihydro-3-pyridinecarbonitrile;  
4-(((4-(3-chlorophenyl)-6-oxo-1,6-dihydro-3-pyridinyl)methoxy)(1-methyl-1H-imidazol-5-  
yl)methyl)benzonitrile;  
4-(((4-(3-chlorophenyl)-1-methyl-6-oxo-1,6-dihydro-3-pyridinyl)methoxy)(1-methyl-1H-  
imidazol-5-yl)methyl)benzonitrile;  
10 5-(3-chlorophenyl)-6-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-1-  
methyl-2-oxo-1,2-dihydro-3-pyridinecarbonitrile;

6-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-5-(3,5-difluorophenyl)-1-methyl-2-oxo-1,2-dihydro-3-pyridinecarbonitrile;

- 15 6-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-1-methyl-2-oxo-5-(3-(trifluoromethoxy)phenyl)-1,2-dihydro-3-pyridinecarbonitrile; and  
6-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-5-(3,5-dichlorophenyl)-1-methyl-2-oxo-1,2-dihydro-3-pyridinecarbonitrile.

11. A compound according to Claim 8 wherein  
R<sup>18</sup> is halo; and  
R<sup>19</sup> and R<sup>20</sup> are hydrogen.

12. A compound according to Claim 11 which is  
5-(3-chlorophenyl)-6-(((4-chlorophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-1-methyl-2-oxo-1,2-dihydro-3-pyridinecarbonitrile.

13. A compound according to Claim 8 wherein  
R<sup>18</sup> is cyano;  
R<sup>19</sup> is hydrogen; and  
R<sup>20</sup> is halo.

- 5 14. A compound according to Claim 13 which is  
5-(3-chlorophenyl)-6-(((4-cyano-2-fluorophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-1-methyl-2-oxo-1,2-dihydro-3-pyridinecarbonitrile.

15. A compound according to Claim 8 wherein  
R<sup>18</sup> is cyano;  
R<sup>19</sup> is halo; and  
R<sup>20</sup> is hydrogen.

- 5 16. A compound according to Claim 15 selected from the group consisting of  
5-(3-chlorophenyl)-6-(((4-cyano-3-fluorophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-1-methyl-2-oxo-1,2-dihydro-3-pyridinecarbonitrile; and  
5 6-(((3-chloro-4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-5-(3-chlorophenyl)-1-methyl-2-oxo-1,2-dihydro-3-pyridinecarbonitrile.

17. A compound according to Claim 3 wherein E is phenyl.

18. A compound according to Claim 17 wherein one of R<sup>4-6</sup> is cyano.

19. A compound according to Claim 18 wherein  
R<sup>18</sup> is cyano; and  
R<sup>19</sup> and R<sup>20</sup> are hydrogen.

20. A compound according to Claim 19 selected from the group consisting of  
6-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-3'-methoxy(1,1'-  
biphenyl)-3-carbonitrile;  
6-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-3'-ethoxy(1,1'-biphenyl)-  
3-carbonitrile;  
3-(1,3-benzodioxol-5-yl)-4-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-  
yl)methoxy)methyl)benzonitrile;  
3'-chloro-6-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)(1,1'-biphenyl)-  
3-carbonitrile;  
N-(5-cyano-2-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)phenyl)-2-  
thiophenesulfonamide;  
N-(5-cyano-2-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)phenyl)-4-  
methylbenzenesulfonamide;  
5-cyano-2-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-N-(4-  
methylpyridin-2-yl)benzamide;  
N-(3-chlorophenyl)-5-cyano-2-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-  
yl)methoxy)methyl)benzamide;  
4-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-3-(6-oxo-1-propyl-1,6-  
dihydropyridin-3-yl)benzonitrile; and  
4-(((4-cyanophenyl)(1-methyl-1H-imidazol-5-yl)methoxy)methyl)-3-(6-propoxypyridin-3-  
yl)benzonitrile.

21. A compound according to Claim 17 wherein one of R<sup>4-6</sup> is halo.

22. A compound according to Claim 21 wherein R<sup>3</sup> is heterocycle.

23. A compound according to Claim 22 wherein  
R<sup>18</sup> is cyano; and  
R<sup>19</sup> and R<sup>20</sup> are hydrogen.

24. A compound according to Claim 23 selected from the group consisting of

4-(((2-(1,3-benzodioxol-5-yl)-4-chlorobenzyl)oxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile; and 4-(((4-chloro-2-(5-formyl-2-thienyl)benzyl)oxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile.

5

25. A compound according to Claim 21 wherein  $R^3$  is aryl.

26. A compound according to Claim 25 wherein the aryl is unsubstituted or substituted with one substituent selected from the group consisting of alkanoyl, alkoxy, alkyl, amino, cyano, formyl, halo, and haloalkyl.

27. A compound according to Claim 26 wherein  
 $R^{18}$  is cyano; and  
 $R^{19}$  and  $R^{20}$  are hydrogen.

28. A compound according to Claim 27 selected from the group consisting of  
4-(((2',5-dichloro(1,1'-biphenyl)-2-yl)methoxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

4-(((5-chloro-2'-methyl(1,1'-biphenyl)-2-yl)methoxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

4-(((5-chloro-2'-methoxy(1,1'-biphenyl)-2-yl)methoxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

4-(((3',5-dichloro(1,1'-biphenyl)-2-yl)methoxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

4-(((5-chloro-3'-methyl(1,1'-biphenyl)-2-yl)methoxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

4-(((5-chloro-3'-(trifluoromethyl)(1,1'-biphenyl)-2-yl)methoxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

4-(((5-chloro-3'-methoxy(1,1'-biphenyl)-2-yl)methoxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

4-(((5-chloro-3'-fluoro(1,1'-biphenyl)-2-yl)methoxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

4-(((4',5-dichloro(1,1'-biphenyl)-2-yl)methoxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

4-(((4-chloro-2-(1-naphthyl)benzyl)oxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

4-(((3'-amino-5-chloro(1,1'-biphenyl)-2-yl)methoxy)(1-methyl-1H-imidazol-5-yl)methyl)benzonitrile;

[illegible]


4-(3-(3',5-dichloro(1,1'-biphenyl)-2-yl)-1-hydroxy-1-(1-methyl-1H-imidazol-5-yl)-2-propynyl)benzonitrile.

4-((1-methyl-1H-imidazol-5-yl)((2',3',5-trichloro(1,1'-biphenyl)-2-yl)methoxy)methyl)benzonitrile;

4-((1-methyl-1H-imidazol-5-yl)((3',5,5'-trichloro(1,1'-biphenyl)-2-yl)methoxy)methyl)benzonitrile; and

15 4-((1-methyl-1H-imidazol-5-yl)((3',4',5-trichloro(1,1'-biphenyl)-2-yl)methoxy)methyl)benzonitrile.

32. A compound according to Claim 1 of formula (III)



(III),

or a therapeutically acceptable salt thereof, wherein

5  $L^1$ , X, and  $R^2$  are as defined in Claim 1; and

$R^{21}$  is selected from the group consisting of aryl and heterocycle.

33. A compound according to Claim 32 wherein

$L^1$  is selected from the group consisting of  $NR^9$  and O;

X is selected from the group consisting of  $NR^7$  and S; and

$R^2$  is selected from the group consisting of amino, halo and hydroxy.

34. A compound according to Claim 33 wherein

$L^1$  is  $NR^9$ ; and

X is  $NR^7$ .

35. A compound according to Claim 34 selected from the group consisting of

6-((2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethyl)(methylamino)-3'-methoxy-1,1'-biphenyl-3-carbonitrile;

6-((2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethyl)(methylamino)-3'-

5 methoxy-1,1'-biphenyl-3-carbonitrile; and

6-((2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethyl)(methylamino)-4'-(trifluoromethoxy)-1,1'-biphenyl-3-carbonitrile.

36. A compound according to Claim 33 wherein

$L^1$  is O; and



X is S.

37. A compound according to Claim 36 which is  
6-(2-(4-cyanophenyl)-2-hydroxy-2-(1,3-thiazol-5-yl)ethoxy)-4'-(trifluoromethoxy)-1,1'-  
biphenyl-3-carbonitrile.

38. A compound according to Claim 33 wherein

L<sup>1</sup> is O;

X is NR<sup>7</sup>;

R<sup>2</sup> is hydroxy; and

R<sup>21</sup> is aryl.

39. A compound according to Claim 38 selected from the group consisting of

6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3'-methoxy-1,1'-  
biphenyl-3-carbonitrile;

6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3',4'-difluoro-1,1'-  
biphenyl-3-carbonitrile;

6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-4'-  
(trifluoromethoxy)-1,1'-biphenyl-3-carbonitrile;

3'-chloro-6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-4'-fluoro-  
1,1'-biphenyl-3-carbonitrile;

6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3',5'-difluoro-1,1'-  
biphenyl-3-carbonitrile;

6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3'-  
(trifluoromethoxy)-1,1'-biphenyl-3-carbonitrile;

3',4'-dichloro-6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-1,1'-  
biphenyl-3-carbonitrile;

3',5'-dichloro-6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-1,1'-  
biphenyl-3-carbonitrile;

6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3'-fluoro-1,1'-  
biphenyl-3-carbonitrile;

3'-chloro-6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-1,1'-  
biphenyl-3-carbonitrile;

4-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3-(1-  
naphthyl)benzonitrile; and

(S)-6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-4'-  
(trifluoromethoxy)-1,1'-biphenyl-3-carbonitrile.

Figure 1 consists of 12 histograms arranged in a 4x3 grid. The columns represent transmission rates of 0.001, 0.002, and 0.003. The rows represent different transmission rates ( $\beta$ ) of 0.001, 0.002, and 0.003. The x-axis for all histograms is 'Number of contacts' ranging from 0 to 100. The y-axis is 'Frequency' ranging from 0 to 10. The distributions are generally skewed to the right, with the peak frequency decreasing as the transmission rate increases.

43. A compound according to Claim 42 selected from the group consisting of  
6-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3'-methoxy-1,1'-  
biphenyl-3-carbonitrile;  
6-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3',4'-difluoro-1,1'-  
biphenyl-3-carbonitrile;  
6-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-4'-(trifluoromethoxy)-  
1,1'-biphenyl-3-carbonitrile;  
3'-chloro-6-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-4'-fluoro-  
1,1'-biphenyl-3-carbonitrile;  
6-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3',5'-difluoro-1,1'-  
biphenyl-3-carbonitrile;  
6-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3'-(trifluoromethoxy)-  
1,1'-biphenyl-3-carbonitrile;  
3',4'-dichloro-6-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-1,1'-  
biphenyl-3-carbonitrile;

3',5'-dichloro-6-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-1,1'-biphenyl-3-carbonitrile;

6-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3'-fluoro-1,1'-biphenyl-3-carbonitrile; and

20 3'-chloro-6-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-1,1'-biphenyl-3-carbonitrile.

44. A compound according to Claim 33 wherein

$L^1$  is O;

X is  $NR^7$ ;

$R^2$  is halo; and

$R^{21}$  is heterocycle.

45. A compound according to Claim 44 selected from the group consisting of 3-(1,3-benzodioxol-5-yl)-4-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)benzonitrile;

4-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3-quinolin-8-ylbenzonitrile; and

4-(2-(4-cyanophenyl)-2-fluoro-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-3-(2,2-difluoro-1,3-benzodioxol-5-yl)benzonitrile.

46. A compound according to Claim 33 wherein

$L^1$  is O;

X is  $NR^7$ ;

$R^2$  is amino; and

$R^{21}$  is aryl.

47. A compound according to Claim 46 which is

6-(2-amino-2-(4-cyanophenyl)-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-4'-(trifluoromethoxy)-1,1'-biphenyl-3-carbonitrile.

48. A compound which is

6-(2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-4'-(trifluoromethoxy)-1,1'-biphenyl-3-carbonitrile.

49. A compound which is

6-((2S)-2-(4-cyanophenyl)-2-hydroxy-2-(1-methyl-1H-imidazol-5-yl)ethoxy)-4'-

(trifluoromethoxy)-1,1'-biphenyl-3-carbonitrile.

50. A pharmaceutical composition comprising a compound of Claim 1 or a therapeutically acceptable salt thereof, in combination with a therapeutically acceptable carrier.

51. A method for inhibiting farnesyltransferase in a patient in recognized need of such treatment comprising administering to the patient a therapeutically acceptable amount of a compound of Claim 1, or a therapeutically acceptable salt thereof.

52. A method for treating cancer in a patient in recognized need of such treatment comprising administering to the patient a therapeutically acceptable amount of a compound of Claim 1, or a therapeutically acceptable salt thereof.